Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6243793".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/06 10:19
L2	29809	(processor or cpu or microprocessor) near6 memory near4 stor$3 near4 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/06 10:45
L3	3569	(processor or cpu or microprocessor) near4 memory near4 stor$3 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/06 10:45
L4	3	(processor or cpu or microprocessor) near4 shar$3 memory near4 stor$3 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/06 10:46
L5	27	(processor or cpu or microprocessor) near4 shar$3 memory near4 stor$3 near4 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/06 10:52
L6	9	(processor or cpu or microprocessor) near4 shar$3 memory and external memory near4 stor$3 near4 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/06 10:52
S1	1811	711/147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 13:07
S4	1673	S1 and (processor or microprocessor or CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 13:09

S10	837	S1 and (processor or microprocessor or CPU) and (semaphore or flag or lock$3 or unlock$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 15:14
S19	1098	711/150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 15:15
S20	491	S19 and (processor or microprocessor or CPU) and (semaphore or flag or lock$3 or unlock$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 15:15
S21	304	S20 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 08:27
S22	200475	(processor or microprocessor or CPU) and (semaphore or flag or lock$3 or unlock$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:34
S23	442	711/152 and task	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:33
S24	414458	(processor or microprocessor or CPU) and (semaphore or flag or lock or unlock or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:34
S25	326414	(semaphore or flag or lock or bit or indicator) and (processor or cpu or microprocessor or micro-processor or micro processor) and (task or job or process or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:39

S26	54283	(semaphore or flag or lock or bit or indicator) same (processor or cpu or microprocessor or micro-processor or micro processor) same (task or job or process or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:40
S27	10300	(semaphore or flag or lock or bit or indicator) same (processor or cpu or microprocessor or micro-processor or micro processor) same (task or job or process or command) same access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:40
S28	5137	(semaphore or flag or lock or bit or indicator) same (processor or cpu or microprocessor or micro-processor or micro processor) same (task or job or process or command) same (access near6 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:41
S29	1737	(semaphore or flag or lock or bit or indicator) same (processor or cpu or microprocessor or micro-processor or micro processor) same (task or job or process or command) with (access near6 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:42
S30	707	(processor or cpu or microprocessor or micro-processor or micro processor) same (task or job or process or command) with (access near6 memory) with (semaphore or flag or lock or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/06 10:43
S31	573	(processor or cpu or microprocessor or micro-processor or micro processor) with (task or job or process or command) with (access near6 memory) with (semaphore or flag or lock or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:44
S33	216	(processor or cpu or microprocessor or micro-processor or micro processor) with (task or job or process or command) with (access near6 memory) with (semaphore or flag or lock or bit or indicator) and ((block$3 or restrict or prevent$3) near6 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 09:45
S34	30	(processor or cpu or microprocessor or micro-processor or micro processor) with (task or job or process or command) with (access near6 memory) with (semaphore or flag or lock or bit or indicator) same ((block$3 or restrict$2 or prevent$3) near6 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:34

S35	32	(processor or cpu or microprocessor or micro-processor or micro processor) same (task or job) same (access near6 memory) same (semaphore or flag or bit or indicator) same ((block$3 or restrict$2 or prevent$3) near6 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 10:38
S38	10962	(processor or cpu or microprocessor or micro-processor or micro processor) and (task or job) and (semaphore or flag or bit or indicator) and ((first near3 memory) or (primary near3 memory)) and ((second near3 memory) or (secondary near3 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 10:41
S39	51	(processor or cpu or microprocessor or micro-processor or micro processor) same (task or job) same (semaphore or flag or bit or indicator) same ((first near3 memory) or (primary near3 memory)) same ((second near3 memory) or (secondary near3 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 10:42
S40	0	(processor or cpu or microprocessor or micro-processor or micro processor) wtih (task or job or process or command or instruction or function) with (semaphore or flag or lock or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:34
S41	32658	(processor or cpu or microprocessor or micro-processor or micro processor) with (task or job or process or command or instruction or function) with (semaphore or flag or lock or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:35
S42	20090	(processor or cpu or microprocessor or micro-processor or micro processor) near8 (task or job or process or command or instruction or function) near8 (semaphore or flag or lock or bit or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:45
S43	6242	(processor or cpu or microprocessor or micro-processor or micro processor) near8 (task or job or process or command or instruction or function) near8 (semaphore or flag or lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:45

S44	4347	(processor or cpu or microprocessor or micro-processor or micro processor) near8 (task or job or process or command or instruction or function) near8 (semaphore or flag or lock) and access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:46
S45	3263	(processor or cpu or microprocessor or micro-processor or micro processor) near8 (task or job or process or command or instruction or function) near8 (semaphore or flag or lock) and (access near4 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:46
S46	214	(processor or cpu or microprocessor or micro-processor or micro processor) near8 (task or job or process or command or instruction or function) near8 (semaphore or flag or lock) with (access near4 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:47
S47	192	(processor or cpu or microprocessor or micro-processor or micro processor) near8 (task or job or process or command or instruction or function) near8 (semaphore or flag or lock) near8 (access near4 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:49
S49	419	(processor or cpu or microprocessor or micro-processor or micro processor) near8 (access near8 (task or job or process or command or instruction or function)) near8 (semaphore or flag or lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:49
S50	367	(processor or cpu or microprocessor or micro-processor or micro processor) near8 (access near6 (task or job or process or command or instruction or function)) near8 (semaphore or flag or lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:50
S51	32	(processor or cpu or microprocessor or micro-processor or micro processor) near8 (access near6 (task or job or process or command or instruction or function)) near8 (semaphore or flag or lock) same ((block$3 or restrict$2 or prevent$3) near6 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:51
S52	64932	processor and (semaphore or flag or lock) and (task or job or command or instruction) and access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:57

S53	453	processor with (semaphore or flag or lock) with (task or job or command or instruction) with access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:58
S54	128	processor near6 (semaphore or flag or lock) near6 (task or job or command or instruction) near6 access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 11:59
S56	15	(processor near6 (semaphore or flag or lock) near6 (task or job or command or instruction) near6 access) with (block$2 or prevent$2 or restrict$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 12:00
S57	19	(processor near6 (semaphore or flag or lock or bit) near6 (task or job or command or instruction) near6 access) with (block$2 or prevent$2 or restrict$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 12:00
S58	20	(processor near6 (semaphore or flag or lock or bit or indicator) near6 (task or job or command or instruction) near6 access) with (block$2 or prevent$2 or restrict$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 14:49
S59	2	"5392433".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/29 15:00
S60	0	"roxby.in.."	US-PGPUB	ADJ	ON	2005/06/29 15:01
S61	0	"james-roxby.in.."	US-PGPUB	ADJ	ON	2005/06/29 15:01
S63	1	"5321825".pn.	USPAT	ADJ	ON	2005/06/30 07:40
S70	174	(programmable logic device with configur$3 near4 processors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 08:58
S86	15	(programmable logic device with configur$3 with (advantag$4 or benef$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 08:58

S87	372	((each near2 (processor or cpu or microprocessor)) or (every near2 (processor or cpu or microprocessor))) near4 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:57
S88	39	((each near2 (processor or cpu or microprocessor)) or (every near2 (processor or cpu or microprocessor))) near4 (memory) with program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:12
S94	3182	(every near4 (processor or cpu or microprocessor)) same (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:13
S95	556	(every (processor or cpu or microprocessor)) same (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:13
S96	267	(every (processor or cpu or microprocessor)) with (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:13
S97	193	(every (processor or cpu or microprocessor)) near6 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:13
S98	156	(every (processor or cpu or microprocessor)) near4 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:19
S99	80	idle processor with (task or job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:20

S10 0	9	number near6 idle processor with (task or job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:25
S10 1	44	identifier near3 (task or job) near3 type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 11:13
S10 2	8	identifier near3 (task or job) type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 10:26
S10 6	364	every with (processor or cpu or microprocessor) with (memory or storage or ?RAM) with (attach$2 or coupled or connected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 11:00
S10 7	22	every (processor or cpu or microprocessor) with (memory or storage or ?RAM) with (attach$2 or coupled or connected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/06 10:19
S11 0	3022	(processor or cpu or microprocessor) with (every near6 (memory or storage or ?RAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 11:09
S11 1	348	(processor or cpu or microprocessor) with (every (memory or storage or ?RAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 11:09
S11 2	972	identifier near3 (task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 11:14

S11 3	21	identifier near3 (task near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 11:27
S11 4	12	indicator near3 (task near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/30 11:28